Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	23697746	@ad<="20021126" or @rlad<="20021126" or @ptad<="20021126" or @pt1d<="20021126" or @pt3d<="20021126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:34
S2	0	print\$4 near9 (establish\$4 connect\$4) near10 (configur\$4 set\$4) with (deny den\$4 reject\$4) with (lan (wireless near3 network) bluetooth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:16
S3	242	print\$4 near9 (establish\$4 connect\$4) near10 (configur\$4 set\$4) with (lan (wireless near3 network) bluetooth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 18:16
S4	113	S1 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 19:35
S5	1	(print\$4 near3 server) with detect\$4 with (deny reject\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 10:34
S6	4	(print\$4 near3 server) with (deny den\$4reject\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 19:38
S 7	250	(print\$4 near3 server) with (detect\$4 near10 printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/02 20:39
S8	169	S1 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 19:38
S9	52	(print\$4 near3 server) near8 (configur\$4 set\$4 establish\$4 connect\$4) same ((mode modes operat) near5 printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:18

S10	44	S1 and S9	US-PGPUB;	OR	ON	2007/02/02 20:43
	,	1	USPAT; EPO; JPO; DERWENT; IBM_TDB			, 52, 52
S11	4294	(print\$4) near8 (configur\$4 set\$4 establish\$4 connect\$4) same ((mode modes operat) near5 printer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:19
S12	1160	(print\$4) near8 (configur\$4 set\$4 establish\$4 connect\$4) same (mode modes operat busies busy off) same (lan (local near3 network) server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:20
S13	1160	(print\$4 near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode modes operat busies busy off) same (lan (local near3 network) server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÓR	ON	2007/02/02 21:21
S14	719	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode modes operat busies busy off) same (lan (local near3 network) server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:26
S15	471	S1 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:21
S16	289	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode modes operat busies busy off) same (print\$4 near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:26
S17	925	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode stat\$4 modes operat busies busy off) same (print\$4 near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:27
S18	473	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode state states modes operat busies busy off) same (print\$4 near3 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:31
S19	333	S1 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:27

S20	78	(printer near8 (configur\$4 set\$4 establish\$4 connect\$4)) same (mode state states modes operat busies busy off) same ((print\$4 near3 server) near5 (detect\$4 monitor\$4 quer\$4 request\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/02 21:32
S21	52	S1 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/02/02 21:32
S22	3	"20050212670"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 21:46
S23	1	10/715834	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 22:01
S24	2	"6314476".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 22:01
S25	23750016	@ad<="20021126" or @rlad<="20021126" or @ptad<="20021126" or @pt1d<="20021126" or @pt3d<="20021126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 10:25
S26	263	(print\$4 near3 server) with (deny den\$4 ignor\$4 reject\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:36
S27	163	S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/21 15:37
S28	23750016	@ad<="20021126" or @rlad<="20021126" or @ptad<="20021126" or @pt1d<="20021126" or @pt3d<="20021126"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 10:25

S29	1	10/715834	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/06/22 10:26
S30	57	(print\$4 near3 server) near12 (reset\$4 convert\$4 modif\$6 chang\$4 adjust\$4) near6 (protocol parameter\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 10:36
S31	38	S28 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/22 10:36